

# DRYLAM

SELECTION • SOLUTIONS • SIMPLICITY

## SUPER-LAM Laminating Film



Designed and developed for on demand Digital Prints, Super-Lam "always stick to all prints" adhesive is a breakthrough in adhesive technology. Superior adhesion to Xerox®, Kodak®, Canon® and most other hard to stick to toner based digital output. Super-Lam films are designed to bond to the hard to adhere to toner based digital prints. On Demand Digital Printing utilizes toner based print engines which contain fuser oils and glycol. These additives create a surface which conventional copolymer films have a difficult time sticking to. Super-Lam with ASAP adhesive is a specialized adhesive layer designed to bond to these difficult toner surfaces. ASAP stands for Always Sticks, All Prints meaning this film can be used for any printed sheet whether it is a difficult toner surface or conventional offset printing. Typical running temperatures range from 210 – 270 degrees with the most common set point around 240 degrees F. Not all digital toner type laminating films are created equal. Various digital print engines create a variety of difficult to adhere to surfaces. Most films may only perform well on some digital toner based output, and fail on others, Super-Lam with ASAP adhesive runs equally well on ALL digital toner based prints and conventional offset prints. The wide running temperature of Super-Lam allows the end user to dial in the ideal temperature and speed settings to insure adhesion to any digital toner or conventional offset prints. Like Trade-Lam films from DryLam, SuperLam also contains higher polyester base film thicknesses to improve clarity, rigidity, and depth of finished lamination.

### Super-Lam with ASAP Adhesive Technology Thermal Laminating Film

- ◆ Designed and developed for On Demand Digital prints
- ◆ Our ASAP (Always Sticks to All Prints) adhesive is a major technological breakthrough
- ◆ Superior adhesion to Xerox®, Canon® and most other hard to stick toner-based and digital print
- ◆ Activates at 210°

www.drylam.com  
P: 888-633-1973  
F: 866-473-0534  
23220 W 84th St.  
Shawnee, KS 66227

Order Code	Bar Code	Description: Gloss , Super-Lam with ASAP Thermal Lamination Film
SG10615-3	01301	1.5 Mil 10 3/4" X 6000' 3" Core - Melt 210°
SG11615-3	01302	1.5 Mil 11 3/4" X 6000' 3" Core - Melt 210°
SG12515-1	01305	1.5 Mil 12 1/2" X 500' 1" Core - Melt 210°
SG12315-3	01300	1.5 Mil 12 1/2" X 3000' 3" Core - Melt 210°
SG12203-3	01303	3.0 Mil 12 1/2" X 2000' 3" Core - Melt 210°
SG12203-1	01306	3.0 Mil 12 1/2" X 250' 1" Core - Melt 210°
SG12203-2	01309	3.0 Mil 12 1/2" X 250' 2 1/4" Core - Melt 210°
SG19203-3	01312	3.0 Mil 19 1/2" X 2000' 3" Core - Melt 210°
SG25203-1	01307	3.0 Mil 25" X 250' 1" Core - Melt 210°
SG38203-3	01315	3.0 Mil 38" X 250' 3" Core - Melt 210°
SG12105-3	01304	5.0 Mil 12 1/2" X 1000' 3" Core - Melt 210°
SG12205-1	01308	5.0 Mil 12 1/2" X 200' 1" Core - Melt 210°
SG12205-2	01310	5.0 Mil 12 1/2" X 200' 2 1/4" Core - Melt 210°
SG19105-3	01314	5.0 Mil 19 1/2" X 1000' 3" Core - Melt 210°
SG38205-3	01315	5.0 Mil 38" X 250' 3" Core - Melt 210°